ELSEVIER

European Journal of Pharmacology 335 (1997) 275–277

ejp

Author index

Åkerman, K.E.O., see Kukkonen, J.P. (335) 99
Altavilla, D., see Squadrito, F. (335) 185
Ameri, A.
Inhibition of rat hippocampal excitability by the *Aconitum* alkaloid, 1-benzoylnapelline, but not by napelline (335) 145
Arcoraci, V., see Squadrito, F. (335) 185
Arlotta, M., see Squadrito, F. (335) 185

Baamonde, A., see Menéndez, L. (335) 9
Bakogeorgou, E., see Kampa, M. (335) 255
Bhargava, H.N., see Cao, Y.-J. (335) 161
Bian, J.-T., see Cao, Y.-J. (335) 161
Bianchi, L., see Boselli, C. (335) 23
Bockaert, J., see Mary, S. (335) 65
Boot, J.R., see Tran, S. (335) 31
Boselli, C., Bianchi, L. and Grana, E.
Effect of cromakalim on the purinergic and cholinergic transmission in the rat detrusor muscle (335) 23
Bräuner-Osborne, H., Nielsen, B., Stensbøl, T.B., Johansen, T.N., Skjærbæk, N. and Krogsgaard-Larsen, P.
Molecular pharmacology of 4-substituted glutamic acid analogues at ionotropic and metabotropic excitatory amino acid receptors (335) R1

Cacciaguerra, S., see Ucar, H. (335) 267
Calò, L., see Pontieri, F.E. (335) 133
Campillo, M., see Pardo, L. (335) 73
Campo, G.M., see Squadrito, F. (335) 185
Cao, B.-J. and Rodgers, R.J.
Dopamine D_4 receptor and anxiety: Behavioural profiles of clozapine, L-745,870 and L-741,742 in the mouse plus-maze (335) 117
Cao, Y.-J., Bian, J.-T. and Bhargava, H.N.
Effects of NMDA receptor antagonists on δ_1- and δ_2-opioid receptor agonists-induced changes in the mouse brain [^{3}H]DPDPE binding (335) 161
Caputi, A.P., see Squadrito, F. (335) 185
Carlsson, A., see Martin, P. (335) 107
Carlsson, M.L., see Martin, P. (335) 107
Castanas, E., see Kampa, M. (335) 255
Cockcroft, V., see Kukkonen, J.P. (335) 99

Damianaki, A., see Kampa, M. (335) 255
Di Grezia, R., see Pontieri, F.E. (335) 133
Durham, R.A., Eaton, M.J., Moore, K.E. and Lookingland, K.J.
Effects of selective activation of dopamine D_2 and D_3 receptors on prolactin secretion and the activity of tuberoinfundibular dopamine neurons (335) 37

Eaton, M.J., see Durham, R.A. (335) 37
Eschalier, A., see Mestre, C. (335) 1

Fisher, L. and Pennefather, J.N.
Potencies of agonists acting at tachykinin receptors in the oestrogen-primed rat uterus: Effects of peptidase inhibitors (335) 221
Fuhlendorff, J., see Ladrière, L. (335) 227
Fujii, E., see Uchida, Y. (335) 235
Fujimori, A., see Shibasaki, M. (335) 167
Fujimori, A., see Shibasaki, M. (335) 175

Giraldo, J., see Pardo, L. (335) 73
Gjerstad, J., Tjølsen, A. and Hole, K.
A dual effect of 5-HT_{1B} receptor stimulation on nociceptive dorsal horn neurones in rats (335) 127
Gleitz, J. and Peters, M.
Influence of extracellular K^+ concentration on the time-course of Na^+/K^+-ATPase inhibition by cardiac glycosides with fast and low binding kinetics (335) 89
Gomeza, J., see Mary, S. (335) 65
Gomita, Y., see Suemaru, K. (335) 139
Grana, E., see Boselli, C. (335) 23

Hatzoglou, A., see Kampa, M. (335) 255
Hernández, A., see Mestre, C. (335) 1
Hidalgo, A., see Menéndez, L. (335) 9
Hole, K., see Gjerstad, J. (335) 127
Huifang, G., see Kukkonen, J.P. (335) 99

Igawa, Y., see Nishizawa, S. (335) 211
Inagaki, O., see Shibasaki, M. (335) 167
Inagaki, O., see Shibasaki, M. (335) 175
Irie, K., see Uchida, Y. (335) 235
Isa, M., see Ucar, H. (335) 267

Jansson, C.C., see Kukkonen, J.P. (335) 99
Jansson, C.C., see Pohjanoksa, K. (335) 53
Johansen, T.N., see Bräuner-Osborne, H. (335) R1

Kaczorowski, G.J., see Suarez-Kurtz, G. (335) 153
Kampa, M., Bakogeorgou, E., Hatzoglou, A., Damianaki, A., Martin, P.-M. and Castanas, E.
Opioid alkaloids and casomorphin peptides decrease the proliferation of prostatic cancer cell lines (LNCaP, PC3 and DU145) through a partial interaction with opioid receptors (335) 255
Kanyonyo, M., see Ucar, H. (335) 267
Kawasaki, H., see Suemaru, K. (335) 139
Keller, H., see Niggli, V. (335) 43
Kendall, D.A., see Randall, M.D. (335) 205
Koss, M.C.
Effect of N^G-nitro-L-arginine methyl ester on functionally characterized muscarinic receptors in anesthetized cats (335) 199
Krogsgaard-Larsen, P., see Bräuner-Osborne, H. (335) R1
Kukkonen, J.P., Huifang, G., Jansson, C.C., Wurster, S., Cockcroft, V., Savola, J.-M. and Åkerman, K.E.O.
Different apparent modes of inhibition of α_{2A}-adrenoceptor by α_2-adrenoceptor antagonists (335) 99
Kusayama, T., see Shibasaki, M. (335) 167
Kusayama, T., see Shibasaki, M. (335) 175

Ladrière, L., Malaisse-Lagae, F., Fuhlendorff, J. and Malaisse, W.J.
Repaglinide, glibenclamide and glimepiride administration to normal and hereditarily diabetic rats (335) 227

Lee, H.-Z.
Inhibitory effect of 2-phenyl-4-quinolone on serotonin-mediated changes in the morphology and permeability of endothelial monolayers (335) 245
Lookingland, K.J., see Durham, R.A. (335) 37
López-Novoa, J.M., see Valdivielso, J.M. (335) 193
Luomala, K., see Pohjanoksa, K. (335) 53

Macías, J.F., see Valdivielso, J.M. (335) 193
Malaisse-Lagae, F., see Ladrière, L. (335) 227
Malaisse, W.J., see Ladrière, L. (335) 227
Marjamäki, A., see Pohjanoksa, K. (335) 53
Martin, P., Waters, N.R., Waters, S.E., Carlsson, A. and Carlsson, M.L.
MK-801-induced hyperlocomotion: Differential effects of M100907, SDZ PSD 958 and raclopride (335) 107
Martin, P.-M., see Kampa, M. (335) 255
Mary, S., Stephan, D., Gomeza, J., Bockaert, J., Pruss, R.M. and Pin, J.-P.
The rat $mGlu_{1d}$ receptor splice variant shares functional properties with the other short isoforms of $mGlu_1$ receptor (335) 65
Masumiya, H., Tanaka, H. and Shigenobu, K.
Effects of Ca^{2+} channel antagonists on sinus node: Prolongation of late phase 4 depolarization by efonidipine (335) 15
Menéndez, L., Hidalgo, A. and Baamonde, A.
Spinal calmodulin inhibitors reduce *N*-methyl-D-aspartate- and septide-induced nociceptive behavior (335) 9
Mestre, C., Hernández, A., Eschalier, A. and Pelissier, T.
Effects of clomipramine and desipramine on a C-fiber reflex in rats (335) 1
Minutoli, L., see Squadrito, F. (335) 185
Moore, K.E., see Durham, R.A. (335) 37
Muraki, T., see Uchida, Y. (335) 235

Nascimento, J.H.M., see Suarez-Kurtz, G. (335) 153
Nielsen, B., see Bräuner-Osborne, H. (335) R1
Niggli, V. and Keller, H.
The phosphatidylinositol 3-kinase inhibitor wortmannin markedly reduces chemotactic peptide-induced locomotion and increases in cytoskeletal actin in human neutrophils (335) 43
Nishizawa, S., Igawa, Y., Okada, N. and Ohhashi, T.
Capsaicin-induced nitric-oxide-dependent relaxation in isolated dog urethra (335) 211

Ogawa, A., see Uchida, Y. (335) 235
Ohba, K.-i., see Uchida, Y. (335) 235
Ohhashi, T., see Nishizawa, S. (335) 211
Okada, N., see Nishizawa, S. (335) 211
Okazaki, T., see Shibasaki, M. (335) 167
Okazaki, T., see Shibasaki, M. (335) 175
Ondeyka, J.G., see Suarez-Kurtz, G. (335) 153
Orzi, F., see Pontieri, F.E. (335) 133

Pardo, L., Campillo, M. and Giraldo, J.
The effect of the molecular mechanism of G protein-coupled receptor activation on the process of signal transduction (335) 73
Passarelli, F., see Pontieri, F.E. (335) 133
Pelissier, T., see Mestre, C. (335) 1
Pennefather, J.N., see Fisher, L. (335) 221
Peters, M., see Gleitz, J. (335) 89
Pin, J.-P., see Mary, S. (335) 65
Pohjanoksa, K., Jansson, C.C., Luomala, K., Marjamäki, A., Savola, J.-M. and Scheinin, M.
α_2-Adrenoceptor regulation of adenylyl cyclase in CHO cells: dependence on receptor density, receptor subtype and current activity of adenylyl cyclase (335) 53
Pontieri, F.E., Calò, L., Di Grezia, R., Orzi, F. and Passarelli, F.
Functional correlates of heroin sensitization in the rat brain (335) 133
Poupaert, J.H., see Ucar, H. (335) 267
Pruss, R.M., see Mary, S. (335) 65

Randall, M.D. and Kendall, D.A.
Involvement of a cannabinoid in endothelium-derived hyperpolarizing factor-mediated coronary vasorelaxation (335) 205
Rodgers, R.J., see Cao, B.-J. (335) 117

Saitta, A., see Squadrito, F. (335) 185
Satoh, Y., see Shibasaki, M. (335) 167
Satoh, Y., see Shibasaki, M. (335) 175
Savola, J.-M., see Kukkonen, J.P. (335) 99
Savola, J.-M., see Pohjanoksa, K. (335) 53
Scheinin, M., see Pohjanoksa, K. (335) 53
Serrano, M., see Squadrito, F. (335) 185
Shibasaki, M., Fujimori, A., Kusayama, T., Tokioka, T., Satoh, Y., Okazaki, T., Uchida, W., Inagaki, O. and Yanagisawa, I.
Antihypertensive activity of a nonpeptide angiotensin II receptor antagonist, YM358, in rats and dogs (335) 175
Shibasaki, M., Fujimori, A., Takanashi, M., Kusayama, T., Tokioka, T., Satoh, Y., Okazaki, T., Uchida, W., Inagaki, O. and Yanagisawa, I.
Pharmacological profile of YM358, a novel nonpeptide angiotensin AT1 receptor antagonist (335) 167
Shigenobu, K., see Masumiya, H. (335) 15
Skjærbæk, N., see Bräuner-Osborne, H. (335) R1
Spampinato, S., see Ucar, H. (335) 267
Squadrito, F., Altavilla, D., Squadrito, G., Campo, G.M., Arlotta, M., Arcoraci, V., Minutoli, L., Serrano, M., Saitta, A. and Caputi, A.P.
17β-oestradiol reduces cardiac leukocyte accumulation in myocardial ischaemia reperfusion injury in rat (335) 185
Squadrito, G., see Squadrito, F. (335) 185
Stensbøl, T.B., see Bräuner-Osborne, H. (335) R1
Stephan, D., see Mary, S. (335) 65
Suarez-Kurtz, G., Nascimento, J.H.M., Ondeyka, J.G. and Kaczorowski, G.J.
Ca^{2+}-entry blockade by CAF603, a carotane sesquiterpene isolated from *Trichoderma virens* (335) 153
Suemaru, K., Kawasaki, H., Gomita, Y. and Tanizaki, Y.
Involvement of nitric oxide in development of tail-tremor induced by repeated nicotine administration in rats (335) 139

Takanashi, M., see Shibasaki, M. (335) 167
Tanaka, H., see Masumiya, H. (335) 15
Tanizaki, Y., see Suemaru, K. (335) 139
Tjølsen, A., see Gjerstad, J. (335) 127
Tokioka, T., see Shibasaki, M. (335) 167
Tokioka, T., see Shibasaki, M. (335) 175
Tran, S. and Boot, J.R.
Differential effects of voltage-dependent Ca^{2+} channels on low and high frequency mediated neurotransmission in guinea-pig ileum and rat vas deferens (335) 31
Tsukahara, F., see Uchida, Y. (335) 235

Ucar, H., Cacciaguerra, S., Spampinato, S., Van derpoorten, K., Isa, M., Kanyonyo, M. and Poupaert, J.H.
2(*3H*)-benzoxazolone and 2(*3H*)-benzothiazolone derivatives: Novel, potent and selective σ_1 receptor ligands (335) 267
Uchida, W., see Shibasaki, M. (335) 167
Uchida, W., see Shibasaki, M. (335) 175
Uchida, Y., Tsukahara, F., Ohba, K.-i., Ogawa, A., Irie, K., Fujii, E., Yoshimoto, T., Yoshioka, T. and Muraki, T.
Nitric oxide mediates down regulation of lipoprotein lipase activity induced by tumor necrosis factor-α in brown adipocytes (335) 235

Valdivielso, J.M., Macías, J.F. and López-Novoa, J.M.
Cardiovascular effects of elgodipine and nifedipine compared in anaesthetized rats (335) 193
Van derpoorten, K., see Ucar, H. (335) 267

Waters, N.R., see Martin, P. (335) 107
Waters, S.E., see Martin, P. (335) 107
Wurster, S., see Kukkonen, J.P. (335) 99

Yanagisawa, I., see Shibasaki, M. (335) 167
Yanagisawa, I., see Shibasaki, M. (335) 175
Yoshimoto, T., see Uchida, Y. (335) 235
Yoshioka, T., see Uchida, Y. (335) 235